Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	79	file near expiration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:09
L2	10	file near expiration and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:10
L3	47	expiration near attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:10
L4	23	expiration near attribute and xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:10
L5	15`	(US-20020089542-\$ or US-20020029256-\$ or US-20040163045-\$ or US-20040021679-\$).did. or (US-6725421-\$ or US-6404445-\$ or US-6356933-\$ or US-6078322-\$ or US-5898838-\$ or US-6476828-\$ or US-6941521-\$ or US-6083276-\$ or US-6345278-\$ or US-6766524-\$).did. or (JP-2003308145-\$).did.	US-PGPUB; USPAT; JPO	OR	OFF	2006/03/16 15:17
L6	829	page adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:17
L7	1	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:47

L8	1579	z adj order	US-PGPUB;	OR	OFF	2006/03/16 15:49
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
L9	1	5 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/03/16 15:47
L10	21	(("5467288" "5524193" "5583980" "56 00775" "5655144" "5680639" "592984 9" "5931908" "6006241" "6154771" "6 173317" "6230172") or ("5604896") or ("5854927") or ("5898838") or ("5982399") or ("5990911") or ("6021275") or ("6078322") or ("6128011") or ("6173437")).PN.	USPAT	OR	OFF	2006/03/16 15:48
L11	. 0	8 and 10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:48
L12	22	z adj order with attributes	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/03/16 15:49
S1	4748	((717/115) or (348/14.03) or (715/513,716,719,760,764)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 07:19
S2	1	xml same object same property same render same size with position	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:32
S3	2264	xml with display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:32

	T		<u> </u>	1	1	
S4	281	S1 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:32
S5	264	xml with display same object	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:33
S6	40	S1 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:35
S7	142	xml with television	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:35
S8	15	S1 and S7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:45
S9	26	tvml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/14 15:45
S10		("6760043").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 07:19
S11	12079	set-top adj box	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:20
S12	4748	((717/115) or (348/14.03) or (715/513,716,719,760,764)).CCLS.	US-PGPUB; USPAT; USOCR	OR ·	OFF	2006/03/15 09:53

						_
S13	179	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:19
S14	76	set-top adj box same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:21
S15	9	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:20
S16	363	xml same object same property	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:22
S17	69	xml same object same property same attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:24
S18	6	xml same object same property same attribute same select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:26
S19	95	xml same object same attribute same select\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:27
S20	697	xml same object with attribute	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:28

		***		Т	· · · · · · · · · · · · · · · · · · ·	T.
S21		S14 and S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:27
522	0	xml same object with attribute same (set-top adj box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:29
·S23	5	xml same object with attribute and (set-top adj box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:29
S24		object with attribute same (set-top adj box)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:32
S25	228	interactive same display same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:38
S26	5	interactive same display same xml and (content same page same object same action)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:40
S27	400	(content same page same object same action)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:40
S28		(content same page same object same action) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:41

	•	LASI Searci				
S29	2575	content adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:42
S30	8	content adj element same page adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 07:42
S31	1433	xml with user adj interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 09:53
S32	67	xml with user adj interface same interactive	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:31
S33	1026	(715/764).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/03/15 11:31
S34	31392	xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:31
S35	112	S33 and S34 .	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:43
S36	. 3	"2000132694"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF ·	2006/03/15 11:44
S37		"2001048494" ·	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 11:44

			T	Τ'	т	
S38	50	(US-4305662-\$ or US-4441044-\$ or US-5212555-\$ or US-5694309-\$ or US-5819102-\$ or US-5862400-\$ or US-5994963-\$ or US-6208300-\$ or US-3653978-\$ or US-3811895-\$ or US-4275405-\$ or US-4280452-\$ or US-4346340-\$ or US-4467746-\$ or US-4456998-\$ or US-4467271-\$ or US-4464736-\$ or US-4467271-\$ or US-4496853-\$ or US-4507790-\$ or US-4536866-\$ or US-4587068-\$ or US-4582071-\$ or US-4582071-\$ or US-4628350-\$ or US-4790374-\$).did. or (US-4829623-\$ or US-4868770-\$ or US-4917476-\$ or US-4907321-\$ or US-4917476-\$ or US-5014384-\$ or US-5236521-\$ or US-5014384-\$ or US-5236521-\$ or US-5291330-\$ or US-5295191-\$ or US-5291330-\$ or US-5295191-\$ or US-5291330-\$ or US-5434538-\$ or US-5433642-\$ or US-5433538-\$ or US-543351-\$ or US-5493220-\$ or US-5497123-\$ or US-5593242-\$ or US-5628723-\$).did.	USPAT	OR	OFF	2006/03/15 12:29
S39	21	(("5467288" "5524193" "5583980" "56 00775" "5655144" "5680639" "592984 9" "5931908" "6006241" "6154771" "6 173317" "6230172") or ("5604896") or ("5854927") or ("5898838") or ("5982399") or ("5990911") or ("6021275") or ("6078322") or ("6128011") or ("6173437")).PN.	USPAT	OR	OFF	2006/03/15 14:07
S40	10	vmml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:09
S41	9	"1290570"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2006/03/15 14:12
S42	2	"200077664"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 14:12

						
S43	7	(US-20020089542-\$).did. or (US-6725421-\$ or US-6356933-\$ or US-6404445-\$ or US-6476828-\$ or US-5898838-\$ or US-6078322-\$).did.	US-PGPUB; USPAT	OR	OFF	2006/03/15 14:19
S44	. 2	modify and S43	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/15 16:13
S45	14	xml with element with modify	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 06:47
S46	2 .	modify-property	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 06:48
S47	157	modif\$7 with (property attribute) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR ·	OFF	2006/03/16 06:48
S48		modif\$7 near2 (property attribute) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 06:58
S49	14	modif\$7 near2 (property attribute) with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 07:18
S50	63	modif\$7 near2 (property attribute) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 07:36

S51	89	change near2 (property attribute) same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 07:37
S52	33	change near2 (property attribute) with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 07:37
S53	118	function with represent\$5 with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 10:35
S54	815	(function method procedure) with represent\$5 with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 10:36
S55	200	(function method procedure) with represent\$5 with xml with language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 10:36
S56		(function method procedure) near represent\$5 with xml with language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 10:38
S57	148	717/137.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR T	OFF	2006/03/16 10:38
S58	4	S54 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 10:39

S59	4	(represent\$5 translat\$3) near java near method with (xml element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 10:42
S60	21	xml with functional with programming adj language	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 10:43
S61	2478	xml same soap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 10:44
S62	2176	xml with soap	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 10:44
S63	3	xml with soap same functional with method	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 10:44
S64	127	method adj call same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 11:24
S65	275	adml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 11:24
S66	3	adml with xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 12:16

S67	402	script adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 12:16
S68	6	script adj element same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 12:37
S69		input near element same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 12:37
S70	6	input with field near element same xml	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 13:39
S71	13	timeline adj element	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 13:42
S72	21	(("5467288" "5524193" "5583980" "56 00775" "5655144" "5680639" "592984 9" "5931908" "6006241" "6154771" "6 173317" "6230172") or ("5604896") or ("5854927") or ("5898838") or ("5982399") or ("5990911") or ("6021275") or ("6078322") or ("6128011") or ("6173437")).PN.	USPAT	OR	OFF	2006/03/16 13:48
S73		timeline and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/16 15:09